

**ONYX**  
*Collection*

**600x  
1200mm**

**Antovia™**  
surfaces



**COLLECTION  
2025**

## WHY CHOOSE US

---

we are committed to transforming spaces with exceptional tile solutions. Here's why partnering with us is the right choice:



### Unmatched Quality:

We prioritize excellence by using the finest materials and advanced manufacturing techniques to ensure every tile meets the highest quality standards.



### Innovative Designs:

Our collection is inspired by global trends and crafted with creativity, offering a perfect blend of aesthetics and functionality.



### Wide Range of Options:

Whether you're looking for sleek, polished surfaces or rustic finishes, we provide an extensive variety of tiles to suit every style and need.



### Sustainability at Heart:

we believe in eco-conscious manufacturing, minimizing environmental impact while delivering superior products.



### Customer-Centric Approach:

We value our clients and offer personalized solutions, ensuring your vision is brought to life with precision and care.




### Trusted Expertise:

With years of industry experience, our team of experts is dedicated to helping you create beautiful and durable spaces.



## PRODUCT RANGE

Our tile collection offers a wide range of sizes, from small formats to large slabs, perfect for any space. Whether for walls, floors, or features, our versatile tiles fit every design need with ease.



WIDE RANGE OF GVT, PGVT, CERAMIC & PORCELAIN TILES IN MULTIPLE SIZES & FINISHES

- ✓ **PORCELAIN TILES** ⇄ 8MM
- ✓ **SLAB** ⇄ 6,9,12,15MM
- ✓ **FULL BODY** ⇄ 8.5MM & 15MM
- ✓ **CERAMIC WALL** ⇄ 9MM
- ✓ **CERAMIC FLOOR** ⇄ 8.5MM
- ✓ **DOUBLE CHARGE** ⇄ 8MM

## APPLICATION AREA



INDOOR



OUTDOOR



SWIMMING  
POOL



AIRPORT




UNIVERSITY



HOSPITAL



HOTEL



FIRE EXIT

## TECHNICAL FEATURES



EASY TO  
MAINTAIN



EASY TO  
CLEAN



WATERPROOF



ECOLOGICAL



Frost  
Resistant



STAIN  
RESISTANT



RESISTANT  
TO CHEMICALS






HIGH  
STRENGTH

The selected icon style reflects a modern, minimalistic approach with clean lines and balanced geometry, ensuring clarity and versatility. Each icon is carefully chosen to align with the brand's identity, maintaining consistency across all platforms. The simplicity in design enhances readability at any size, while the unified style ensures visual harmony in both digital and print applications. This thoughtful selection supports effective communication and strengthens brand recognition.



Antovia™  
surfaces



Our tiles offer a sleek, polished look that enhances colors and reflects light, creating a spacious, luxurious feel. Durable and easy to clean, they're perfect for stylish floors and walls in both homes and businesses.



## TOUCH THE ICON

You can access various features within our PDF for enhanced viewing and sharing options



Click on the "**360 Preview**" icon to display interactive 360° product details. Explore the product from every angle effortlessly.



Click on the "**Real Video/Photo**" icon to access real tiles capture from camera . Easily navigate and explore real color footage showcasing the Tiles.



Click on the "**HD Preview**" icon to display high-definition product details, Multiple Tiles Application Preview. Enhance the user experience with crystal-clear visuals.



Click on the "**Touch the Explore Tile**" icon to discover our diverse collection of tiles. Effortlessly navigate and find your perfect match.




Click on the "**Social Media Post**" icon to display product details on social media. Share engaging content seamlessly.




Click on the "**Back to Index**" icon to return to the main page. Easily navigate and access the complete list of Tiles

# INDEX



ALLERTON ONYX BEIGE



ALLERTON ONYX LIGHT



ANTIQUÉ ONYX



ATLANTIS



BELLA ONYX AQUA



BELLA ONYX PINK



BIJON ONYX




CARLOS PINK




CLASSIC ONYX PINK



FENNO BIANCO




FOG GREY




GOLDEN ONYX



JULIAN AQUA




JULIAN WHITE



JULIAN BLUE




LUX ANTI SKY




MAGMA ONYX AQUA



MAGMA ONYX GREY



MAGMA ONYX WHITE




MYSTERY ONYX GREY




ONYX CREMA



ONYX PINK



OPAL ONYX AQUA




ORLANO PEARL




OXY CREMA




OXY TEEL




ONYX ICE




PEARL ONYX



PEEL ONYX AQUA



RAPID BIANCO




REAL ONYX




RUBIO ONYX AQUA



SALMON ONYX WHITE



SERENO CREMA




SERENO THUNDER



**TOUCH TO  
EXPLORE TILE**  
TAP ICON TO FULL PAGE

# INDEX




SILKY ONYX




SILVER ONYX



SKY ONYX AUQA




SKY ONYX ICE



SNOW ONYX GREY




SNOW ONYX PINK



SPIDER ONYX GREY




VERSACE GOLD



ZED ONYX ICE




ZED ONYX PEARL




CARTER ONYX AQUA




FUMAR BLACK




FLIGMA ONYX BLACK



JULIAN WAVE



PEEL ONYX GREEN



TUFF BLUE




**TOUCH TO  
EXPLORE TILE**  
TAP ICON TO FULL PAGE

**600x1200mm**

**ONYX**  
*Collection*

**GLOSSY**  
**FINISH**

---



**ONYX**  
*Collection-*

**Antovia**<sup>TM</sup>  
surfaces



## ALLERTON ONYX BEIGE

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**5**



← **BACK**



ALLERTON ONYX BEIGE






**ALLERTON ONYX LIGHT**

Size  
**600X1200MM**

Finish  
**Glossy**

Thickness  
**8.5MM**

Random  
**5**



**← BACK**



ALLERTON ONYX LIGHT





**ANTIQUE ONYX**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**3**



**ATLANTIS**

Size

**600X1200MM**

Finish

**Glossy**

Thickness


**8.5MM**

Random

**3**







**BELLA ONYX AQUA**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**5**



**BELLA ONYX PINK**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**5**



**BIJON ONYX**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**5**





BIJON ONYX





**CARLOS PINK**

Size

**600X1200MM**

Finish


**Glossy**

Thickness

**8.5MM**

Random

**3**



**CLASSIC ONYX PINK**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**1**





CLASSIC ONYX PINK



**ONYX**  
*Collection*

**Antovia**<sup>TM</sup>  
surfaces



## FENNO BIANCO

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**3**



◀ **BACK**



FENNO BIANCO





**FOG GREY**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**1**



**GOLDEN ONYX**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**4**



**JULIAN AQUA**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**5**



**JULIAN WHITE**

Size

**600X1200MM**

Finish

**Glossy**

Thickness


**8.5MM**

Random

**5**







**JULIAN BLUE**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**5**



**LUX ANTI SKY**

Size

**600X1200MM**

Finish


**Glossy**

Thickness

**8.5MM**

Random

**5**



**MAGMA ONYX AQUA**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**4**



**MAGMA ONYX GREY**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**4**




**MAGMA ONYX WHITE**

Size  
**600X1200MM**

Finish  
**Glossy**

Thickness  
**8.5MM**

Random  
**4**





MAGMA ONYX WHITE






**MYSTERY ONYX GREY**

Size  
**600X1200MM**

Finish  
**Glossy**

Thickness  
**8.5MM**


Random  
**3**





MYSTERY ONYX GREY






**ONYX CREMA**

Size  
**600X1200MM**

Finish  
**Glossy**

Thickness  
**8.5MM**

Random  
**3**







**ONYX PINK**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**3**



**OPAL ONYX AQUA**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**5**



**ORLANDO PEARL**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**2**








**OXY CREMA**

Size  
**600X1200MM**

Finish  
**Glossy**

Thickness  
**8.5MM**

Random  
**3**







**OXY TEEL**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**3**



**ONYX ICE**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**2**







**PEARL ONYX**

Size

**600X1200MM**

Finish

**Glossy**

Thickness


**8.5MM**

Random

**2**







**PEEL ONYX AQUA**

Size

**600X1200MM**

Finish


**Glossy**

Thickness

**8.5MM**

Random

**5**



**RAPID BIANCO**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**1**



**REAL ONYX**

Size

**600X1200MM**

Finish


**Glossy**

Thickness

**8.5MM**

Random

**4**



**RUBIO ONYX AQUA**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**3**




**SALMON ONYX WHITE**

Size  
**600X1200MM**

Finish  
**Glossy**

Thickness  
**8.5MM**

Random  
**5**




◀ **BACK**



SALMON ONYX WHITE





**SERENO CREMA**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**3**



**SERENO THUNDER**

Size

**600X1200MM**

Finish


**Glossy**


Thickness

**8.5MM**

Random

**3**





**SILKY ONYX**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**1**



**SILVER ONYX**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**2**



**SKY ONYX AUQA**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**5**



**SKY ONYX ICE**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**10**




**SNOW ONYX GREY**

Size  
**600X1200MM**

Finish  
**Glossy**

Thickness  
**8.5MM**

Random  
**3**



◀ **BACK**



SNOW ONYX GREY





**SNOW ONYX PINK**

Size

**600X1200MM**

Finish

**Glossy**

Thickness


**8.5MM**

Random

**3**








**SPIDER ONYX GREY**

Size  
**600X1200MM**

Finish  
**Glossy**

Thickness  
**8.5MM**


Random  
**4**





SPIDER ONYX GREY





**VERSACE GOLD**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random


**4**





VERSACE GOLD





**ZED ONYX ICE**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**10**



**ZED ONYX PEARL**

Size

**600X1200MM**

Finish

**Glossy**

Thickness

**8.5MM**

Random

**5**





ZED ONYX PEARL





**600x1200mm**

**ONYX**  
*Collection*

**HIGH GLOSSY**  
**FINISH**

---





**CARTER ONYX AQUA**

Size

**600X1200MM**

Finish


**High Glossy**

Thickness

**8.5MM**

Random

**3**



**FUMAR BLACK**

Size

**600X1200MM**

Finish

**High Glossy**

Thickness

**8.5MM**

Random


**1**





FUMAR BLACK





**FLIGMA ONYX BLACK**

Size

**600X1200MM**

Finish


**High Glossy**

Thickness

**8.5MM**

Random

**4**



**JULIAN WAVE**

Size

**600X1200MM**

Finish

**High Glossy**

Thickness

**8.5MM**

Random


**5**





JULIAN WAVE





**PEEL ONYX GREEN**

Size

**600X1200MM**

Finish


**High Glossy**

Thickness

**8.5MM**

Random

**4**



**TUFF BLUE**

Size

**600X1200MM**

Finish

**High Glossy**

Thickness

**8.5MM**

Random

**4**

# TECHNICAL FEATURES

CHARACTERISTICS	INTERNATIONAL STANDARD ISO 13006:2012/EN14411 Group BIA	OUR MEAN VALUE	TEST METHOD
<b>Dimension &amp; Surface Quality</b>			
Length	± 0.60 %	± 0.10 %	ISO 10545-2
Thickness	± 5.00 %	± 3.00 %	ISO 10545-2
Straightness in side	± 0.50 %	± 0.10 %	ISO 10545-2
Rectangularity	± 0.50 %	± 0.10 %	ISO 10545-2
Surface flatness	± 0.50 %	± 0.510 %	ISO 10545-2
Surface quality	Declared by Manu.	95-105 %	ISO 2813 (Gloss Meter)
Glossiness (only Polished Products)	Min. 95% Tile Should Be Free From Defects	Min. 98% Tile Should Be Free From Defects	ISO 10545-2
<b>Physical Characteristics</b>			
Water absorption	E ≤ 0.5 %	E ≤ 0.5 %	ISO 10545-3
MOH'S hardness	≤ 6	≤ 6	ISO 10545-3
Moisture expansion	Nil	Nil	ISO 10545-10
Abrasion resistance	Declared by Manu.	Pei 3-5 (Declared on product)	ISO 10545-7
<b>Mechanical Characteristics</b>			
Flexural strength(MOR)	≥ 35N/mm <sup>2</sup> (350kg/cm <sup>2</sup> )	≥ 37N/mm <sup>2</sup> (370kg/cm <sup>2</sup> )	ISO 10545-4
Breaking strength	1300 Newton	2000 Newton	ISO 10545-4
Impact resistance	Declared by Manu.	No indentation or cracking	ISO 10545-5
<b>Safety Characteristics</b>			
Skid resistance (Dynamic Friction Coefficient)	≥ 0.4	≥ 0.4	ISO 10545-17 DIN 51082
Density	≥ 2.0 gm/cc	≥ 2.3 gm/cc	
<b>Thermo Photo Characteristics</b>			
Thermal shock resistance	Resistant to 10 cycles	Pass Min. 10 cycles	ISO 10545-9
Frost resistance	Frost Proof	Need to comply with the standard	ISO 10545-12
Coefficient of Linear thermal Expansion	9×10 <sup>-6</sup> K-1	<5.86×10 <sup>-6</sup> K-1	ISO 10545-8
Color resistance to UV light	Resistant	Resistant	ISO 10545-16
<b>Chemical Characteristics</b>			
Chemical resistance: House Hold Chemicals & Swimming Pool Salts	Min. Class - GB	Confirm to Classes - GA	ISO 10545-13
Chemical resistance: Low Concentrations Acids & Alkalis	Min. Class - GIB	Confirm to Classes - GIA	ISO 10545-13
Chemical resistance: High Concentrations Acids & Alkalis	Min. Class - GHB	Confirm to Classes - GHA	ISO 10545-13
Stain resistance	Min. Class - 3	Min. Confirm to Class - 4	ISO 10545-14

## 600x1200mm Packing Details

SLAB/BOX	2 Pcs
COVERAGE AREA / BOX	1.44 Sq.mtr.
WEIGHT/BOX(APPROX)	27 kg

## Note:

Certain amount of size and shade variation is inherent in all ceramic

**Antovia**<sup>TM</sup>  
surfaces