


**HIGHGLOSSY**  
*Collection*

600x  
1200mm

**Antovia**<sup>TM</sup>  
surfaces



**COLLECTION**  
**2025**

## WHY CHOOSE US

---

we are committed to transforming spaces with exceptional tile solutions. Here's why partnering with us is the right choice:



### Unmatched Quality:

We prioritize excellence by using the finest materials and advanced manufacturing techniques to ensure every tile meets the highest quality standards.



### Innovative Designs:

Our collection is inspired by global trends and crafted with creativity, offering a perfect blend of aesthetics and functionality.



### Wide Range of Options:

Whether you're looking for sleek, polished surfaces or rustic finishes, we provide an extensive variety of tiles to suit every style and need.



### Sustainability at Heart:

we believe in eco-conscious manufacturing, minimizing environmental impact while delivering superior products.



### Customer-Centric Approach:

We value our clients and offer personalized solutions, ensuring your vision is brought to life with precision and care.




### Trusted Expertise:

With years of industry experience, our team of experts is dedicated to helping you create beautiful and durable spaces.



## PRODUCT RANGE

Our tile collection offers a wide range of sizes, from small formats to large slabs, perfect for any space. Whether for walls, floors, or features, our versatile tiles fit every design need with ease.



WIDE RANGE OF GVT, PGVT, CERAMIC & PORCELAIN TILES IN MULTIPLE SIZES & FINISHES

- ✓ **PORCELAIN TILES**    ⇄    8MM
- ✓ **SLAB**                    ⇄    6,9,12,15MM
- ✓ **FULL BODY**            ⇄    8.5MM & 15MM
- ✓ **CERAMIC WALL**      ⇄    9MM
- ✓ **CERAMIC FLOOR**    ⇄    8.5MM
- ✓ **DOUBLE CHARGE**    ⇄    8MM

## APPLICATION AREA



INDOOR



OUTDOOR



SWIMMING  
POOL



AIRPORT



UNIVERSITY



HOSPITAL



HOTEL



FIRE EXIT

## TECHNICAL FEATURES



EASY TO  
MAINTAIN



EASY TO  
CLEAN



WATERPROOF



ECOLOGICAL



Frost  
Resistant



STAIN  
RESISTANT



RESISTANT  
TO CHEMICALS




HIGH  
STRENGTH

The selected icon style reflects a modern, minimalistic approach with clean lines and balanced geometry, ensuring clarity and versatility. Each icon is carefully chosen to align with the brand's identity, maintaining consistency across all platforms. The simplicity in design enhances readability at any size, while the unified style ensures visual harmony in both digital and print applications. This thoughtful selection supports effective communication and strengthens brand recognition.



Antovia™  
surfaces



Our tiles offer a sleek, polished look that enhances colors and reflects light, creating a spacious, luxurious feel. Durable and easy to clean, they're perfect for stylish floors and walls in both homes and businesses.



## TOUCH THE ICON

You can access various features within our PDF for enhanced viewing and sharing options



Click on the "**360 Preview**" icon to display interactive 360° product details. Explore the product from every angle effortlessly.



Click on the "**Real Video/Photo**" icon to access real tiles capture from camera . Easily navigate and explore real color footage showcasing the Tiles.



Click on the "**HD Preview**" icon to display high-definition product details, Multiple Tiles Application Preview. Enhance the user experience with crystal-clear visuals.



Click on the "**Touch the Explore Tile**" icon to discover our diverse collection of tiles. Effortlessly navigate and find your perfect match.




Click on the "**Social Media Post**" icon to display product details on social media. Share engaging content seamlessly.




Click on the "**Back to Index**" icon to return to the main page. Easily navigate and access the complete list of Tiles

# INDEX




ALBERO




AMAZONITE BLACK



AMICA BLUE




AMICA BROWN



ARISTO AQUA




ARISTO BLUE



ARISTO EBONY




ARISTO SEPIA




ASHFORD GOLD




BLOCK WOOD BROWN




BLUGERTY BLUE




BLUGERTY PURPLE




CHOCO PEARL



CIAZ BLACK



CIVIC AQUA



DOCATO BLACK




DOCATO BLUE




EMERALD GREEN



EMIL AQUA




FROST BLUE



FROST BROWN




FROST GREY




GARNET




GLAM AQUA




GRAZIA BLUE



GRAZIA BROWN




GULATI DYNA




LATTICE BLACK




LEMURIAN AQUA




LEMURIAN BLUE




LIZON BLUE




LOUIS BLACK



QUANTIC AQUA



RIPPLE BLUE




RIPPLE BROWN




**TOUCH TO  
EXPLORE TILE**  
TAP ICON TO FULL PAGE

# INDEX


---




TATIANA AQUA




VALERIA AQUA



VIRGO AQUA



VIRGO BROWN




WALLTON GOLD



**TOUCH TO  
EXPLORE TILE**  
TAP ICON TO FULL PAGE

**HIGH GLOSSY**  
*Collection*



**ALBERO**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**5**

**HIGH GLOSSY**  
*Collection*



**AMAZONITE BLACK**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**3**

**HIGH GLOSSY**  
*Collection*



**AMICA BLUE**

Size  
**600X1200MM**


Finish  
**High Glossy**

Thickness  
**8.5MM**

Random  
**3**




**BACK**



AMICA BLUE



**HIGH GLOSSY**  
*Collection*



**AMICA BROWN**

Size

**600X1200MM**

Finish

**High Glossy**

Thickness


**8.5MM**

Random

**3**



**HIGH GLOSSY**  
*Collection*



**ARISTO AQUA**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**3**

**HIGH GLOSSY**  
*Collection*



**ARISTO BLUE**

Size

**600X1200MM**

Finish

**High Glossy**

Thickness


**8.5MM**

Random


**3**




**← BACK**



ARISTO BLUE



**HIGH GLOSSY**  
*Collection*



**ARISTO EBONY**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**3**

**HIGH GLOSSY**  
*Collection*



**ARISTO SEPIA**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**3**

**HIGH GLOSSY**  
*Collection*



**ASHFORD GOLD**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**4**

**HIGH GLOSSY**  
*Collection*



**BLOCK WOOD BROWN**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**2**

**HIGH GLOSSY**  
*Collection*



**BLUGERTY BLUE**

Size

**600X1200MM**

Finish

**High Glossy**

Thickness


**8.5MM**

Random

**6**



**HIGH GLOSSY**  
*Collection*



**BLUGERTY PURPLE**

Size  
**600X1200MM**


Finish  
**High Glossy**

Thickness  
**8.5MM**


Random  
**6**



**BACK**



**HIGH GLOSSY**  
*Collection*



**CHOCO PEARL**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**3**

**HIGH GLOSSY**  
*Collection*



**CIAZ BLACK**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**4**

**HIGH GLOSSY**  
*Collection*



**CIVIC AQUA**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**5**

**HIGH GLOSSY**  
*Collection*



**DOCATO BLACK**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**4**

**HIGH GLOSSY**  
*Collection*



**DOCATO BLUE**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**4**

**HIGH GLOSSY**  
*Collection*



**EMERALD GREEN**

Size

**600X1200MM**

Finish

**High Glossy**

Thickness


**8.5MM**

Random


**4**



**BACK**



**HIGH GLOSSY**  
*Collection*



**EMIL AQUA**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**5**

**HIGH GLOSSY**  
*Collection*



**FROST BLUE**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**2**

**HIGH GLOSSY**  
*Collection*



**FROST BROWN**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**2**

**HIGH GLOSSY**  
*Collection*



**FROST GREY**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**2**

**HIGH GLOSSY**  
*Collection*



**GARNET**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**4**

**HIGH GLOSSY**  
*Collection*



**GLAM AQUA**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**4**

**HIGH GLOSSY**  
*Collection*



**GRAZIA BLUE**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**3**

**HIGH GLOSSY**  
*Collection*



**GRAZIA BROWN**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**3**

**HIGH GLOSSY**  
*Collection*



**GULATI DYNA**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**4**

**HIGH GLOSSY**  
*Collection*



**LATTICE BLACK**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**6**

**HIGH GLOSSY**  
*Collection*



**LEMURIAN AQUA**

Size

**600X1200MM**

Finish

**High Glossy**

Thickness


**8.5MM**

Random


**5**




**← BACK**



LEMURIAN AQUA



**HIGH GLOSSY**  
*Collection*



**LEMURIAN BLUE**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**4**

**HIGH GLOSSY**  
*Collection*



**LIZON BLUE**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**3**

**HIGH GLOSSY**  
*Collection*



**LOUIS BLACK**

Size

**600X1200MM**

Finish

**High Glossy**

Thickness


**8.5MM**

Random


**4**



**← BACK**



**HIGH GLOSSY**  
*Collection*



**QUANTIC AQUA**

Size

**600X1200MM**

Finish

**High Glossy**

Thickness


**8.5MM**

Random


**3**



**← BACK**



**HIGH GLOSSY**  
*Collection*



**RIPPLE BLUE**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**4**

**HIGH GLOSSY**  
*Collection*



**RIPPLE BROWN**

Size

**600X1200MM**

Finish

**High Glossy**

Thickness


**8.5MM**

Random

**4**



**HIGH GLOSSY**  
*Collection*



**TATIANA AQUA**

Size

**600X1200MM**

Finish

**High Glossy**

Thickness

**8.5MM**

Random


**5**




**← BACK**



TATIANA AQUA



**HIGH GLOSSY**  
*Collection*



**VALERIA AQUA**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**5**

**HIGH GLOSSY**  
*Collection*



**VIRGO AQUA**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**4**

**HIGH GLOSSY**  
*Collection*



**VIRGO BROWEN**

Size

**600X1200MM**

Finish

**High Glossy**


Thickness

**8.5MM**

Random

**4**

**HIGH GLOSSY**  
*Collection*



**WALLTON GOLD**

Size

**600X1200MM**

Finish

**High Glossy**

Thickness

**8.5MM**

Random


**4**



**← BACK**



WALLTON GOLD



# TECHNICAL FEATURES

CHARACTERISTICS	INTERNATIONAL STANDARD ISO 13006:2012/EN14411 Group BIA	OUR MEAN VALUE	TEST METHOD
<b>Dimension &amp; Surface Quality</b>			
Length	± 0.60 %	± 0.10 %	ISO 10545-2
Thickness	± 5.00 %	± 3.00 %	ISO 10545-2
Straightness in side	± 0.50 %	± 0.10 %	ISO 10545-2
Rectangularity	± 0.50 %	± 0.10 %	ISO 10545-2
Surface flatness	± 0.50 %	± 0.510 %	ISO 10545-2
Surface quality	Declared by Manu.	95-105 %	ISO 2813 (Gloss Meter)
Glossiness (only Polished Products)	Min. 95% Tile Should Be Free From Defects	Min. 98% Tile Should Be Free From Defects	ISO 10545-2
<b>Physical Characteristics</b>			
Water absorption	E ≤ 0.5 %	E ≤ 0.5 %	ISO 10545-3
MOH'S hardness	≤ 6	≤ 6	ISO 10545-3
Moisture expansion	Nil	Nil	ISO 10545-10
Abrasion resistance	Declared by Manu.	Pei 3-5 (Declared on product)	ISO 10545-7
<b>Mechanical Characteristics</b>			
Flexural strength(MOR)	≥ 35N/mm <sup>2</sup> (350kg/cm <sup>2</sup> )	≥ 37N/mm <sup>2</sup> (370kg/cm <sup>2</sup> )	ISO 10545-4
Breaking strength	1300 Newton	2000 Newton	ISO 10545-4
Impact resistance	Declared by Manu.	No indentation or cracking	ISO 10545-5
<b>Safety Characteristics</b>			
Skid resistance (Dynamic Friction Coefficient)	≥ 0.4	≥ 0.4	ISO 10545-17 DIN 51082
Density	≥ 2.0 gm/cc	≥ 2.3 gm/cc	
<b>Thermo Photo Characteristics</b>			
Thermal shock resistance	Resistant to 10 cycles	Pass Min. 10 cycles	ISO 10545-9
Frost resistance	Frost Proof	Need to comply with the standard	ISO 10545-12
Coefficient of Linear thermal Expansion	9×10 <sup>-6</sup> K-1	<5.86×10 <sup>-6</sup> K-1	ISO 10545-8
Color resistance to UV light	Resistant	Resistant	ISO 10545-16
<b>Chemical Characteristics</b>			
Chemical resistance: House Hold Chemicals & Swimming Pool Salts	Min. Class - GB	Confirm to Classes - GA	ISO 10545-13
Chemical resistance: Low Concentrations Acids & Alkalis	Min. Class - GIB	Confirm to Classes - GIA	ISO 10545-13
Chemical resistance: High Concentrations Acids & Alkalis	Min. Class - GHB	Confirm to Classes - GHA	ISO 10545-13
Stain resistance	Min. Class - 3	Min. Confirm to Class - 4	ISO 10545-14

## 600x1200mm Packing Details

SLAB/BOX	2 Pcs
COVERAGE AREA / BOX	1.44 Sq.mtr.
WEIGHT/BOX(APPROX)	27 kg

## Note:

Certain amount of size and shade variation is inherent in all ceramic

**Antovia**<sup>TM</sup>  
surfaces