

**Antovia**<sup>TM</sup>  
surfaces

NEXT  
**GENERATION**  
FLOORING

[www.antoviasurfaces.com](http://www.antoviasurfaces.com)

## SURFACES THAT SHAPE A MORE LIVABLE WORLD.

For decades, we have been shaping the building materials industry through a commitment to quality, precision, and innovation. Antovia Surfaces brings together refined craftsmanship and advanced technology to create SPC flooring solutions that reflect authenticity in both look and feel. Driven by expertise and powered by cutting-edge manufacturing, we deliver sustainable flooring designed for lasting performance. Every surface we create is backed by years of experience, thoughtful design, and an uncompromising standard of durability.

Antovia™  
surfaces

The image shows a large, modern industrial building with a light-colored facade. The building has a long, low profile with a series of vertical supports along its side. A large, dark entrance is visible in the foreground. Several cars are parked in front of the building, including a white hatchback, a white SUV, a dark sedan, and a silver sedan. The sky is a clear, bright blue with some light clouds. The overall scene is a professional, clean industrial setting.

NEXT  
**GENERATION**  
FLOORING


**VERSATILE AND  
DURABLE SURFACE SOLUTIONS.**

Antovia Surfaces are designed to withstand stain and scratches while also being fire retardant, easy to clean and 100% waterproof. Additionally they are environment friendly as they can be easily recycled.

---






  
Real to touch texture


  
No Termite  
No Bugs

  
Excellent  
Acoustic

  
Low  
Maintenance

  
High  
Dimensional  
Stability

  
Scratch &  
Stain  
Resistant

  
Easy  
to Clean

  
Patented interlock  
system for  
easy installation


  
100%  
waterproof

  
Fire  
Retardant

Experience unmatched comfort and quietness as our SPC Flooring is designed to reduce noise, reating a peaceful ambiance in your home. Along with that, It has many qualities like being water proof, low maintenance, kid-friendly, family friendly, and quick to install.

So, Don't compromise on quality – choose our SPC Flooring for the best quality at the best price at **ANTOVIA SURFACES.**

# PRODUCT Structure



## 01 UV Coating

It is the topmost layer of our SPC floors. A UV-cured coating is applied to the surface of the flooring and hardened using UV light. This layer provides added protection against fading, or discoloration caused by exposure to sunlight. This layer also renders a stain-free quality and is responsible for the matt finish.

## 02 Wear Layer

on SPC floors is a clear, protective layer that is applied on top of the design layer. It is made of a durable material that helps to resist scratches and wear from foot traffic. This layer is important because it helps to prolong the life of the flooring and keep it looking new for longer.

## 03 PVC Decorative Layer

The decor film layer on SPC (Stone Polymer Composite) floors is a thin, printed layer that is applied on top of the core layer. The decor film layer is important because it gives the flooring its aesthetic appeal, allowing it to mimic the look of natural wood or other materials while providing the durability and resistance of SPC.

## 04 SPC Board

The core layer of the floors is the main structural layer made from a mixture of polymer Resin and Natural stone composition, which gives it strength and stability and also contributes to its waterproof property. The SPC core layer is also dense and stable, it makes the SPC flooring much more durable and resistant to wear and tear compared to traditional vinyl flooring.

## 05 UNICLIC Locking Technology

This Unique Feature Makes the SPC floors so easy to install and DIY-friendly. At Antovia Surface our floors have a patented locking mechanism (Unilin) which allows a floating installation and keeps the floors attached more effectively. This layer also ensures that no adhesives or materials are required for installation.


## 06 Underlayment

This layer contributes to additional cushioning stability and sound insulation for the flooring. It is typically made of high-density IXPE or EVA attached beneath the Core.





## PRODUCT SIZES



- 
- 
- 
- 



Minimum  
Thickness ( 5 mm )

Maximum  
Thickness ( 7.5 mm )

**LUXE**  
COLLECTION

*by*

**Antovia**<sup>™</sup>  
surfaces

[www.antoviasurfaces.com](http://www.antoviasurfaces.com)

It's a perfect mimic of the look and feel of natural materials yet more appealing and easy to maintain compare to others natural flooring along with the same classy and elegant vibes.



# AVAILABLE COLORS

**LUXE**  
COLLECTION

AS - 1001

AS - 1002

AS - 1003

AS - 1004

AS - 1005

AS - 1006

AS - 1007

AS - 1008

AS - 1009

AS - 1010

AS - 1011





AS - 1001

Antovia™  
surfaces



AS - 1001




PRO  
DETAILING

## AS - 1001


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**





STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1002



AS - 1002




PRO  
DETAILING

## AS - 1002


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 
- 181X1220 MM
- 
- 230X1220 MM
- 
- 230X1524 MM





AS - 1003

AS - 1003

Antovia™  
surfaces






PRO  
DETAILING

## AS - 1003


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1004

Antovia™  
surfaces

AS - 1004

Antovia<sup>TM</sup>  
surfaces




PRO  
DETAILING

## AS - 1004


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



AS - 1005



Antovia™  
surfaces

AS - 1005



PRO  
DETAILING




## AS - 1005


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**





STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1006



AS - 1006

Antovia™  
surfaces




PRO  
DETAILING

## AS - 1006


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1007

Antovia™  
surfaces



AS - 1007

Antovia™  
surfaces




PRO  
DETAILING

## AS - 1007


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1008

**Antovia**<sup>™</sup>  
surfaces



AS - 1008




PRO  
DETAILING

## AS - 1008


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



AS - 1009



Antovia™  
surfaces



AS - 1009




PRO  
DETAILING

## AS - 1009


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1010

Antovia™  
surfaces



AS - 1010




PRO  
DETAILING

## AS - 1010


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**





STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1011

Antovia™  
surfaces



AS - 1011

Antovia™  
surfaces




PRO  
DETAILING

## AS - 1011


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



**PRIME**  
COLLECTION

*by*

**Antovia**<sup>TM</sup>  
surfaces



[www.antoviasurfaces.com](http://www.antoviasurfaces.com)

# AVAILABLE COLORS

**PRIME**  
COLLECTION



AS - 1012



Antovia™  
surfaces



AS - 1012

Antovia™  
surfaces




■  
**PRO  
DETAILING**

## AS - 1012


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1013

Antovia™  
surfaces



AS - 1013

Antovia™  
surfaces




■  
**PRO  
DETAILING**

## AS - 1013


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**





STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



AS - 1014

Antovia™  
surfaces





AS - 1014

Antovia™  
surfaces




**PRO  
DETAILING**

## AS - 1014


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



AS - 1015

Antovia™  
surfaces





AS-1015

Antovia™  
surfaces




■  
**PRO  
DETAILING**

## AS - 1015


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1016

AS - 1016

Antovia™  
surfaces






PRO  
DETAILING

## AS - 1016


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1017

Antovia™  
surfaces



AS - 1017

Antovia™  
surfaces




PRO  
DETAILING

## AS - 1017


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1018

Antovia™  
surfaces



AS - 1018

Antovia™  
surfaces




PRO  
DETAILING

## AS - 1018


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1019

AS - 1019



Antovia<sup>TM</sup>  
surfaces




## AS - 1019


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

**SIZES**

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1020

Antovia™  
surfaces

AS - 1020



Antovia™  
surfaces




PRO  
DETAILING

## AS - 1020


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1021

Antovia™  
surfaces



AS - 1021

Antovia™  
surfaces




PRO  
DETAILING

## AS - 1021


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1022

Antovia™  
surfaces



AS - 1022




PRO  
DETAILING

## AS - 1022


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1023

Antovia™  
surfaces



AS - 1023

Antovia™  
surfaces




## AS - 1023


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1024

Antovia<sup>TM</sup>  
surfaces



AS - 1024




## AS - 1024


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



AS - 1025

Antovia<sup>TM</sup>  
surfaces

AS - 1025



Antovia™  
surfaces




PRO  
DETAILING

## AS - 1025


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1026

Antovia™  
surfaces



AS - 1026

Antovia™  
surfaces




PRO  
DETAILING

## AS - 1026


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1027

AS - 1027






PRO  
DETAILING

## AS - 1027


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1028

AS - 1028




PRO  
DETAILING

## AS - 1028


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1029

Antovia™  
surfaces



AS - 1029

Antovia™  
surfaces




## AS - 1029


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1030

Antovia™  
surfaces



AS - 1030

Antovia™  
surfaces




PRO  
DETAILING

## AS - 1030


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



AS - 1031



Antovia™  
surfaces



AS - 1031

Antovia™  
surfaces




## AS - 1031


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1032

Antovia™  
surfaces



AS - 1032

Antovia<sup>TM</sup>  
surfaces




PRO  
DETAILING

## AS - 1032


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM





AS - 1033

Antovia™  
surfaces



AS - 1033

Antovia™  
surfaces




PRO  
DETAILING

## AS - 1033


**TOTAL THICKNESS**  
5 TO 7.5 MM

**SURFACE**  
EMBOSSED  
WITH UV COATING

**FITTING**




STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )

### SIZES

- 155X914 MM
- 181X1220 MM
- 230X1220 MM
- 230X1524 MM



# TECHNICAL DATA

SYMBOL	PARAMETER	TEST STANDARD	SPECIFICATION / CRITERIA	RESULT
	Dimensional Stability	ISO 23999	< 0.10 mm	PASS
	Curling	ISO 23999	< 1 mm	PASS
	Micro scratch resistant	EN 16094	> 25000 Cycle( 4N Load ), <A2	PASS
	Residual Indentation	ACTME 1914	< 0.10 mm	PASS
	Shore D hardness	ASTM D 2240	> 15 to < 70 HD	PASS
	Scratch Resistance	—	> 6 N	PASS
	Abrasion Resistance	EN 13329	AC4 ( > 4000 cycle)	PASS
	Pill strength	EN 24345	> 50 N / 50 mm	PASS
	Locking Strength	ISO 24334	> 250 N / 100 mm	PASS
	Density	ASTM D 792	1.95 TO 2.05 g/cm <sup>3</sup>	PASS
	Dimensional Variation After change in Relative humidity	EN 13329:2016	Long side <0.9mm Short side <0.9mm	PASS
	Large Ball Impact test	EN 438	1600 mm Height (320 gm load)	PASS



**Antovia**<sup>TM</sup>  
surfaces



100% waterproof



Patented interlock system for easy installation



Real to touch texture



No Termites No Bugs



Excellent Acoustic



High Dimensional Stability



Scratch & Stain Resistant



Fire Retardant




Easy to Clean




# INSTALATION


Installation is fast and easy thanks to the unique click lock system. Click Lock Technology works perfectly for both the long and short sides of the flooring panel and ensures there are no unwanted gaps or spaces between floorboards.




Start at a corner, tongue side facing wall, with spacers for an 8-12 mm expansion gap.




Assemble the second row on the subfloor, tilt and push to attach to the first row, then click into place.




Insert the second plank's end tongue into the first plank's end groove at an angle, then click into place.




Begin the next row with the last cut-off piece from the previous row




For the last plank of a row, measure, mark, score, and snap off the required length, then insert.





For heating vents, cut the plank to length, measure and mark areas to cut out, then cut allowing for expansion.



Begin the next row with the last cut-off piece from the previous row.



Trim door frames by placing a plank upside down next to the frame and cutting to the necessary height.




# PACKING DETAILS

## SPC Packing Details - 181x1220 MM

THICKNESS	BOX		PALLET			CONTAINER			
CORE+IXPE	PCS	SQM	BOX	SQM	WT-GROSS	PALLET	BOX	SQM	WT
<b>4+1</b>	<b>10</b>	<b>2.21</b>	<b>75</b>	<b>166</b>	<b>1380</b>	<b>20</b>	<b>1500</b>	<b>3315</b>	<b>27600</b>
<b>5+1.5</b>	<b>08</b>	<b>1.77</b>	<b>75</b>	<b>133</b>	<b>1373</b>	<b>20</b>	<b>1500</b>	<b>2655</b>	<b>26850</b>
<b>6+1.5</b>	<b>07</b>	<b>1.55</b>	<b>75</b>	<b>116</b>	<b>1444</b>	<b>19</b>	<b>1425</b>	<b>2209</b>	<b>27431</b>

**\*\*For Other Sizes And Thicknesses Please Contact Us.**

Discover the unmatched uniqueness and exclusivness with Ouras we don't compromise on quality either it comes to product or packaging. We have varieties of sizes as per our wide range of stunning designs and finishes to protect and maintain there Style.



**Antovia**<sup>TM</sup>  
surfaces

manufactured & marketed by :

**ANTOVIA SURFACES**

email : [info@antoviasurfaces.com](mailto:info@antoviasurfaces.com)

[www.antoviasurfaces.com](http://www.antoviasurfaces.com)

