


GLOSSY
Collection

600x
1200mm

AntoviaTM
surfaces



COLLECTION
2025



WHY CHOOSE US

we are committed to transforming spaces with exceptional tile solutions. Here's why partnering with us is the right choice:



Unmatched Quality:

We prioritize excellence by using the finest materials and advanced manufacturing techniques to ensure every tile meets the highest quality standards.



Innovative Designs:

Our collection is inspired by global trends and crafted with creativity, offering a perfect blend of aesthetics and functionality.



Wide Range of Options:

Whether you're looking for sleek, polished surfaces or rustic finishes, we provide an extensive variety of tiles to suit every style and need.



Sustainability at Heart:

we believe in eco-conscious manufacturing, minimizing environmental impact while delivering superior products.




Customer-Centric Approach:

We value our clients and offer personalized solutions, ensuring your vision is brought to life with precision and care.




Trusted Expertise:

With years of industry experience, our team of experts is dedicated to helping you create beautiful and durable spaces.



PRODUCT RANGE

Our tile collection offers a wide range of sizes, from small formats to large slabs, perfect for any space. Whether for walls, floors, or features, our versatile tiles fit every design need with ease.



WIDE RANGE OF GVT, PGVT, CERAMIC & PORCELAIN TILES IN MULTIPLE SIZES & FINISHES

- ✓ **PORCELAIN TILES** ⇄ 8MM
- ✓ **SLAB** ⇄ 6,9,12,15MM
- ✓ **FULL BODY** ⇄ 8.5MM & 15MM
- ✓ **CERAMIC WALL** ⇄ 9MM
- ✓ **CERAMIC FLOOR** ⇄ 8.5MM
- ✓ **DOUBLE CHARGE** ⇄ 8MM

APPLICATION AREA



INDOOR



OUTDOOR



SWIMMING
POOL



AIRPORT




UNIVERSITY



HOSPITAL



HOTEL



FIRE EXIT

TECHNICAL FEATURES



EASY TO
MAINTAIN



EASY TO
CLEAN



WATERPROOF



ECOLOGICAL



Frost
Resistant



STAIN
RESISTANT



RESISTANT
TO CHEMICALS





HIGH
STRENGTH

The selected icon style reflects a modern, minimalistic approach with clean lines and balanced geometry, ensuring clarity and versatility. Each icon is carefully chosen to align with the brand's identity, maintaining consistency across all platforms. The simplicity in design enhances readability at any size, while the unified style ensures visual harmony in both digital and print applications. This thoughtful selection supports effective communication and strengthens brand recognition.



Antovia™
surfaces



Our tiles offer a sleek, polished look that enhances colors and reflects light, creating a spacious, luxurious feel. Durable and easy to clean, they're perfect for stylish floors and walls in both homes and businesses.



TOUCH THE ICON

You can access various features within our PDF for enhanced viewing and sharing options



Click on the "**360 Preview**" icon to display interactive 360° product details. Explore the product from every angle effortlessly.



Click on the "**Real Video/Photo**" icon to access real tiles capture from camera . Easily navigate and explore real color footage showcasing the Tiles.



Click on the "**HD Preview**" icon to display high-definition product details, Multiple Tiles Application Preview. Enhance the user experience with crystal-clear visuals.



Click on the "**Touch the Explore Tile**" icon to discover our diverse collection of tiles. Effortlessly navigate and find your perfect match.



Click on the "**Social Media Post**" icon to display product details on social media. Share engaging content seamlessly.




Click on the "**Back to Index**" icon to return to the main page. Easily navigate and access the complete list of Tiles


INDEX




AMAZONITE GREEN



AMBRATO WHITE



ARENA BLUE



ARENA GREY



AREZZO AZUL



AREZZO BLUE




BIANCO LIRO




BRECCIA BROWN




BRYSTAL LIGHT



CHILILI BLUE



CLASSIC




CREMA MARFIL



DECLAN NATURAL




DESERT TRAVERTINO




DYNA GREEN



DYNA GREY




FLORIAN BEIGE




GRANITO BLUE




GRANITO BROWN




GRANITO GREY




GRANITO SAND




GRANITO GREEN




ISSOGNE PURPLE




KAMAN BEIGE




LACONIA IVORY




L BRECCIA




NAVONA CREMA



NORWAY GREY




ORA BEIGE




ORO LAUREL



ORO SEPIA




PALAYA AQUA



PALAYA CAFE



PALAYA GREY




POLARISH BLUE




**TOUCH TO
EXPLORE TILE**

TAP ICON TO FULL PAGE


INDEX




POLARISH BERRY




POLARISH GREY




POMISE



PURA BEIGE



RIVER LIGHT



ROMAN MARFIL




SARREN AVEIA



STEIN CREMA



STONELLA SAND




TRAVERTINE PINK




VALENCIA CREMA




VALENTINO




VENTA NATURAL



VENTA BLUE



VENTA DARK GREY



VENTA BROWN




WHITE PASANTO



**TOUCH TO
EXPLORE TILE**
TAP ICON TO FULL PAGE

GLOSSY
Collection

Antovia[™]
surfaces



AMAZONITE GREEN

Size

600X1200MM

Finish

Glossy

Thickness

8.5MM

Random

5

 **BACK**



AMBRATO WHITE

Size
600X1200MM

Finish
Glossy


Thickness
8.5MM

Random
2






AMBRATO WHITE



GLOSSY
Collection



ARENA BLUE

Size

600X1200MM

Finish

Glossy


Thickness

8.5MM

Random

1

GLOSSY
Collection



ARENA GREY

Size

600X1200MM

Finish

Glossy


Thickness

8.5MM

Random

1

GLOSSY
Collection—



AREZZO AZUL

Size

600X1200MM

Finish

Glossy


Thickness

8.5MM

Random

2

GLOSSY
Collection—



AREZZO BLUE

Size

600X1200MM

Finish

Glossy

Thickness

8.5MM

Random

2

GLOSSY
Collection



BIANCO LIRO

Size

600X1200MM

Finish


Glossy

Thickness

8.5MM

Random

3



BRECCIA BROWN

Size

600X1200MM

Finish

Glossy

Thickness

8.5MM

Random

3

GLOSSY
Collection



BRYSTAL LIGHT

Size

600X1200MM

Finish


Glossy

Thickness

8.5MM

Random

5



CHILILI BLUE

Size

600X1200MM

Finish

Glossy

Thickness

8.5MM

Random

1

GLOSSY
Collection



CLASSIC

Size

600X1200MM

Finish


Glossy

Thickness

8.5MM

Random

3



CREMA MARFIL

Size

600X1200MM

Finish

Glossy


Thickness

8.5MM

Random

3





GLOSSY
Collection—

Antovia™
surfaces



DECLAN NATURAL

Size

600X1200MM

Finish

Glossy

Thickness

8.5MM

Random

5

 **BACK**



DESERT TRAVERTINO

Size

600X1200MM

Finish

Glossy

Thickness

8.5MM


Random

5





DESERT TRAVERTINO



GLOSSY
Collection—



DYNA GREEN

Size

600X1200MM

Finish

Glossy

Thickness

8.5MM

Random

3

GLOSSY
Collection



DYNA GREY

Size

600X1200MM

Finish

Glossy

Thickness

8.5MM

Random

3

GLOSSY
Collection



FLORIAN BEIGE

Size

600X1200MM

Finish

Glossy

Thickness

8.5MM

Random


5




BACK



FLORIAN BEIGE





GRANITO BLUE

Size

600X1200MM

Finish

Glossy

Thickness


8.5MM

Random

1

GLOSSY
Collection

Antovia[™]
surfaces



GRANITO BROWN

Size

600X1200MM

Finish

Glossy

Thickness


8.5MM

Random

1

 **BACK**

GLOSSY
Collection



GRANITO GREY

Size

600X1200MM

Finish

Glossy

Thickness

8.5MM

Random


1




BACK



GRANITO GREY





GRANITO SAND

Size

600X1200MM

Finish

Glossy


Thickness

8.5MM

Random

1

GLOSSY
Collection



GRANITO GREEN

Size

600X1200MM

Finish

Glossy


Thickness

8.5MM

Random

1

GLOSSY
Collection



ISSOGNE PURPLE

Size

600X1200MM

Finish

Glossy

Thickness


8.5MM

Random

5



← BACK





KAMAN BEIGE

Size
600X1200MM


Finish
Glossy

Thickness
8.5MM

Random
5



BACK





LACONIA IVERY


Size
600X1200MM

Finish
Glossy

Thickness
8.5MM

Random
3





GLOSSY
Collection



L BRECCIA

Size

600X1200MM

Finish


Glossy

Thickness

8.5MM

Random

5



NAVONA CREMA

Size

600X1200MM

Finish

Glossy

Thickness

8.5MM

Random

3

GLOSSY
Collection—



NORWAY GREY

Size

600X1200MM

Finish

Glossy

Thickness

8.5MM

Random

3

GLOSSY
Collection—



ORA BEIGE

Size

600X1200MM

Finish

Glossy

Thickness


8.5MM

Random

5



← BACK



GLOSSY
Collection



ORO LAUREL

Size

600X1200MM

Finish

Glossy

Thickness

8.5MM

Random

3

GLOSSY
Collection



ORO SEPIA

Size

600X1200MM

Finish

Glossy


Thickness

8.5MM

Random

3

GLOSSY
Collection—



PALAYA AQUA

Size

600X1200MM

Finish

Glossy

Thickness


8.5MM

Random

3



← BACK



GLOSSY
Collection



PALAYA CAFE

Size

600X1200MM

Finish

Glossy

Thickness


8.5MM

Random


3



BACK



GLOSSY
Collection—



PALAYA GREY

Size

600X1200MM

Finish

Glossy

Thickness


8.5MM

Random


3



← BACK



LIGHT DARK
Collection



POLARISH BLUE

Size

600X1200MM

Finish


Glossy

Thickness

8.5MM

Random

1



POLARISH BERRY

Size

600X1200MM

Finish


Glossy

Thickness

8.5MM

Random

1



POLARISH GREY

Size

600X1200MM

Finish

Glossy

Thickness

8.5MM

Random

1

GLOSSY
Collection



POMISE

Size

600X1200MM

Finish

Glossy


Thickness

8.5MM


Random

3





GLOSSY
Collection—



PURA BEIGE

Size

600X1200MM

Finish

Glossy

Thickness

8.5MM

Random

1

GLOSSY
Collection—



RIVER LIGHT

Size

600X1200MM

Finish

Glossy

Thickness

8.5MM

Random

5



ROMAN MARFIL

Size

600X1200MM

Finish

Glossy


Thickness

8.5MM

Random

2







SARREN AVEIA

Size

600X1200MM

Finish

Glossy

Thickness

8.5MM

Random

5

GLOSSY
Collection—



STEIN CREMA

Size

600X1200MM

Finish

Glossy

Thickness


8.5MM


Random

5



← BACK





STONELLA SAND

Size

600X1200MM

Finish


Glossy

Thickness

8.5MM

Random

3



TRAVERTINE PINK

Size

600X1200MM

Finish

Glossy


Thickness

8.5MM

Random

3

GLOSSY
Collection—



VALENCIA CREMA

Size

600X1200MM

Finish

Glossy

Thickness

8.5MM

Random

3



VALENTINO

Size

600X1200MM

Finish

Glossy

Thickness


8.5MM

Random


2



BACK



GLOSSY
Collection—



VENTA NATURAL

Size

600X1200MM

Finish

Glossy


Thickness

8.5MM

Random

2

GLOSSY
Collection



VENTA BLUE

Size

600X1200MM

Finish

Glossy


Thickness

8.5MM

Random

2

GLOSSY
Collection



VENTA DARK GREY

Size

600X1200MM

Finish

Glossy


Thickness

8.5MM

Random

2

GLOSSY
Collection



VENTA BROWN

Size

600X1200MM

Finish

Glossy


Thickness

8.5MM

Random

2

GLOSSY
Collection—



WHITE PASANTO

Size

600X1200MM

Finish

Glossy

Thickness

8.5MM

Random


5



← BACK



WHITE PASANTO



TECHNICAL FEATURES

CHARACTERISTICS	INTERNATIONAL STANDARD ISO 13006:2012/EN14411 Group BIA	OUR MEAN VALUE	TEST METHOD
Dimension & Surface Quality			
Length	± 0.60 %	± 0.10 %	ISO 10545-2
Thickness	± 5.00 %	± 3.00 %	ISO 10545-2
Straightness in side	± 0.50 %	± 0.10 %	ISO 10545-2
Rectangularity	± 0.50 %	± 0.10 %	ISO 10545-2
Surface flatness	± 0.50 %	± 0.510 %	ISO 10545-2
Surface quality	Declared by Manu.	95-105 %	ISO 2813 (Gloss Meter)
Glossiness (only Polished Products)	Min. 95% Tile Should Be Free From Defects	Min. 98% Tile Should Be Free From Defects	ISO 10545-2
Physical Characteristics			
Water absorption	E ≤ 0.5 %	E ≤ 0.5 %	ISO 10545-3
MOH'S hardness	≤ 6	≤ 6	ISO 10545-3
Moisture expansion	Nil	Nil	ISO 10545-10
Abrasion resistance	Declared by Manu.	Pei 3-5 (Declared on product)	ISO 10545-7
Mechanical Characteristics			
Flexural strength(MOR)	≥ 35N/mm ² (350kg/cm ²)	≥ 37N/mm ² (370kg/cm ²)	ISO 10545-4
Breaking strength	1300 Newton	2000 Newton	ISO 10545-4
Impact resistance	Declared by Manu.	No indentation or cracking	ISO 10545-5
Safety Characteristics			
Skid resistance (Dynamic Friction Coefficient)	≥ 0.4	≥ 0.4	ISO 10545-17 DIN 51082
Density	≥ 2.0 gm/cc	≥ 2.3 gm/cc	
Thermo Photo Characteristics			
Thermal shock resistance	Resistant to 10 cycles	Pass Min. 10 cycles	ISO 10545-9
Frost resistance	Frost Proof	Need to comply with the standard	ISO 10545-12
Coefficient of Linear thermal Expansion	9×10 ⁻⁶ K-1	<5.86×10 ⁻⁶ K-1	ISO 10545-8
Color resistance to UV light	Resistant	Resistant	ISO 10545-16
Chemical Characteristics			
Chemical resistance: House Hold Chemicals & Swimming Pool Salts	Min. Class - GB	Confirm to Classes - GA	ISO 10545-13
Chemical resistance: Low Concentrations Acids & Alkalis	Min. Class - GIB	Confirm to Classes - GIA	ISO 10545-13
Chemical resistance: High Concentrations Acids & Alkalis	Min. Class - GHB	Confirm to Classes - GHA	ISO 10545-13
Stain resistance	Min. Class - 3	Min. Confirm to Class - 4	ISO 10545-14

600x1200mm Packing Details

SLAB/BOX	2 Pcs
COVERAGE AREA / BOX	1.44 Sq.mtr.
WEIGHT/BOX(APPROX)	27 kg

Note:

Certain amount of size and shade variation is inherent in all ceramic

AntoviaTM
surfaces